

# Nano Emergency LED Light Bar









P/N	COLOUR	MOUNT	APPROVAL	POWER
NLB-017A		PERM	MAG	20W
NLB-017CA		PERM	MAG	20W

Flash pattern	Code	Flash pattern	Code	Flash pattern	Code
1 Single	100	2 Slow	101	10 Strobe (with aux opt)	101
2 Double	102	3 Strobe	102	10 Strobe (left opt)	102
3 Quad	103	4 Strobe/flash	103	10 Strobe (left opt)	103
4 Strobe	104	5 Strobe	104	10 Strobe (left opt)	104
5 Flashing	105	6 Combined Left/Right (with aux opt)	105	10 Strobe (left opt)	105
6 Strobe (2.2 seconds)		17 Dual (left/right)	106		
		18 Combined (left/right - slow flash)	107		
		19 Quad (left/right - slow flash)	108		
		20 Combined (3-14 combined)	109		

Options

MAG

BRACKET MOUNT KIT

Add to P/N

M

Kit-2

The NLB-017 is an easy to use warning lamp, it simply plugs into the 12V auxilliary car socket.

This nano light bar is mounted with stainless steel bolts or can be magnet mounted.

It comes in either a amber poly-carbonate lens or a clear PC lens with amber light.

It is waterproof rated to IP67, has ECE R65 EMC R10/ SAE J845 approvals.

SKU:NLB-017

**Price: \$305.80**

## Weight

1.1kg



## Dimensions

Length: 28 cm - Width: 18 cm - Height: 9 cm

## Specifications

- Voltage: 12/24V
- Function: Warning Lamp
- LED: 40\*0.5W, Amber
- Mount: Bolts Mount
- Connection: Cable out with 12V Auxiliary Car Socket
- Approval: ECE R65 EMC R10/ SAE J845
- Seal: Silicon potting
- Waterproof: IP 67
- Lens: PC, Black
- Housing: PC, Clear or Colour

## Options

P/N	COLOUR	MOUNT	APPROVAL	POWER
NLB-017A		<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">PERM</div> <div style="border: 1px solid black; padding: 2px;">MAG</div> </div>	R65 SAE CLASS1 E MARK / ECE R10	<div style="border: 1px solid black; padding: 5px;">25W</div>
NLB-017CA	<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 5px;">CLEAR LENS</div>  </div>	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">PERM</div> <div style="border: 1px solid black; padding: 2px;">MAG</div> </div>	E MARK / ECE R10	

Options	Add to P/N
<div style="border: 1px solid black; padding: 5px; margin: 5px auto; width: 40px;">MAG</div>	M
<div style="border: 1px solid black; padding: 5px; margin: 5px auto; width: 100px;">BRACKET MOUNT KIT</div>	Kit-2

## Flash Patterns

Flash pattern	Rate (t/min)	Flash pattern	Rate (t/min)	Flash pattern	Rate (t/min)
1.Single	120	7.Ten	69	12.Single( left-right split )	71
2.Double	67	8.single-ten	10	13.Doubel( left-right split)	74
3.Quad	71	9.Strobe-single	9	14.Quad( left-right split )	72
4.Strobe	73	10.Rotate	50	15.Strobe( left-right split)	73
5.Roating	100	11.Combine ( Left-right split - stroble -rotate )		16. Single( left-right split)	100
6.Combine (1-2-4 combine)				17.Ten( left-right)	75
				18.Doubel( left-right, slow-fast)	
				19. Quad( left-right, slow-fast)	
				20.Combine (3-14 combine)	

## Dimensions

